Digital Catalog of Life Rafts

Rescue Pod

U.S.G.G. Approved Coastal

Inflatable Buoyant Apparatus

U.S.G.G. Approved SOLAS 6

MD-1

Search and Rescue

MD-2

U.S.C.G. Approved SOLAS 8-25

Prices

Service Stations

SWITLIK PARACHUTE CO., INC.
1325 East State Street
Trenton, NJ 08609
(609) 587-3300
FAX: 609-586-6647
EMAIL: info@switlik.com
www.switlik.com

RESCUE POD™

PARACHUTE COMPANY

Established 1920

The RESCUE POD is a very high quality inflatable flotation platform with canopy that supports four people and offers basic protection from the elements. The compact sizes of its fiberglass container or soft valise allow it to be carried aboard the smallest open sport fishing boat, day cruiser or sail boat. Although small in packed size, the RESCUE POD is extremely tough and durable.

Our design philosophy for the RESCUE POD is identical to the approach we took when we developed the well-known Switlik MD-SERIES Life Rafts. We use the same inflation system, double-coated 16 ounce per square yard urethane coated nylon buoyancy chamber materials, double-taped overlap seams, and construction techniques as on our USCG Approved Life Rafts.

The single chamber main buoyancy tube provides 820 pounds of primary flotation and the 6 independent compartments of the inflatable canopy offer 210 pounds of reserve buoyancy. The double layer inflatable canopy design is the same as used on the one person Life Rafts we manufacture for fighter pilots of the United States Navy and Air Force. The canopy design provides better hypothermia protection than the single layer canopy used on most standard Life Rafts.

Upon inflation of the RESCUE POD, the canopy remains furled around the top of the buoyancy tube until needed. This allows for easier boarding from either the water or your vessel. Once in the POD, the occupants can immediately pull the canopy over themselves for protection from wind and rain. The canopy can then be inflated using the oral inflation tubes.

Standard Features

- Hand Laid Fiberglass Container or Fabric Valise
- Insulating Heat Sealed Double Wall Canopy (oral inflation)
- Heat Sealed Urethane Coated Nylon Buoyancy Chamber
- Water Activated Exterior Locator Light
- Sea Anchor (automatically deployed)
- Painter/Static Line (length, 25 ft.)
- Rectangular Ballast Pockets
- Manual Topping Off Valve
- Retro-Reflective Tape
- Pressure Relief Valve
- Raft Use Instructions
- CO_2 Inflation System
- POD Righting Strap
- Lifelines (inner)
- Lifelines (outer)
- Floating Knife
- Utility Bag

Standard Equipment

- Manual Inflation Pump
- Repair Clamps (2 ea.)
- Waterproof Combination Strobe/Flashlight

Optional Equipment

- Abandon Ship Duffel Bag
- Anodized Aluminum Deck Mounting Cradle
- Inflatable Floor

Specifications

MODEL NUMBER	PERSON CAPACITY	CONTAINER DIMENSIONS	INTERIOR DIMENSIONS	EXTERIOR DIMENSIONS
POD-4H*	4	24''l x 13''w x 12.5''h	46'' dia. x 46''h	76'' dia. X 48''h
POD-4S*	4	12'' dia. x 24''l**	46'' dia. x 46''h	76'' dia. X 48''h

FLOOR AREA	BUOYANCY TUBE DIAMETER	BUOYANCY IN SALT WATER	WEIGHT IN CONTAINER	SHIPPING WEIGHT	SHIPPING DIMENSIONS
12 $ft.^2$	12 in.	820 lbs.	44 lbs.	49 lbs.	27''l x 17''w x 17''h
12 $ft.^2$	12 in.	820 lbs.	33 lbs.	38 lbs.	27''l x 17''w x 17''h

* **H** Indicates Hard Fiberglass Container
* **S** Indicates Soft Fabric Valise
** Optional Inflatable Floor will increase the diameter of the Valise.

Inflatable Buoyant Apparatus

PARACHUTE COMPANY

Established 1920



The Switlik **Inflatable Buoyant Appparatus (IBA-6)** is designed in accordance with USCG specifications to meet the requirements of the Commercial Fishing Industry Vessel Safety Regulations. The IBA-6 is not a life raft, but it is a device to keep up to 6 adults afloat and out of the water until help arrives. Inflated by C02, the IBA-6 is ready for boarding in seconds. The IBA-6 is available in compact soft valise or hand laid fiberglass container with ***optional*** anodized marine grade (6463-T55) aluminum cradle and hydrostatic release.

Standard Equipment and Features:

- abrasion resistant polyurethane
- coated nylon
- dual chamber with internal sleeves
- fabric valise or fiberglass
- container
- **C02** inflation system
- inner & outer grasp lines
- mooring line
- two pressure relief valves
- auto-activated SOLAS
- locator light
- heaving ring and line
- sea anchor
- boarding ladder
- SOLAS reflective tape
- manual inflation/deflation valves

U.S.C.G.Equipment Package:

- floating safety knife
- 1 bailer
- 1 sponge
- 2 paddles
- 3 spare batteries
- 1 signalling mirror
- 1 repair clamp kit
- 1 hand pump
- 1 flashlight and

Options:

- hydrostatic release
- flare kit
- EPIRB
- aluminum cradle for fiberglass container

MD-1
Life Raft

PARACHUTE COMPANY

Established 1920

Designed for coastwise use, the MD-1 Life Raft's single tube construction methods, materials, components, and equipment are identical to those utilized in our USCG Approved Life Rafts. The MD-1 features the same buoyancy chamber and canopy fabrics, inflation system, ballast pockets, and survival kit; all in a design that makes safety more affordable.

Features

STANDARD FEATURES

- Two 4' Triangular Canopy Openings with Heavy Duty Marine Grade Zippers
- Tough, 16 oz. sq./yd. Urethane Coated Nylon Buoyancy Chamber Fabric
- High Visibility Fluorescent Orange Canopy with Blue Inner Coating
- Carbon Dioxide (CO_2) Nitrogen (N_2) Gas Mixture Inflation System
- Abrasion Resistant Urethane Coated Nylon Raft Valise
- Abandon Ship Bag for Additional Equipment (MD-2)
- Water Activated Boarding Station Locator Light
- Auto-Deployed Military Specification Sea Anchor
- Large Volume Rectangular Ballast Pockets
- 30' - 2000 lb. Test Inflation/ Mooring Lanyard
- Heaving Ring And Floating Retrieval Line
- Double-Taped Buoyancy Chamber Seams
- ***SOLAS*** Grade Retro-Reflective Tape
- High Proof Test Attachment Points
- Double Width Boarding Ladder
- Over-Pressure Relief Valves
- Manual Topping Off Valves
- Rain Water Catcher (MD-2)
- High Headroom Arch Tube
- Life Raft Righting Strap
- Floating Safety Knife
- Interior Grasp Lines
- Exterior Life Lines
- Boarding Handles

EQUIPMENT

	MD-1	MD-2
Pressure Relief Valve Plugs	2	2
Drinking Water (Ounces)	-	96
Raft Repair Kit (Clamps)	3	3
SOLAS Hand-Held Flares	3	3
Sea Sickness Tablets	-	36
Hand Inflation Pump	1	1
Parachute Flares	-	2
Spare Batteries	3	3
Signal Mirror	1	1
Flash Light	1	1
First Aid Kit	-	1
Sponge/s	1	2
Paddles	-	2
Whistle	1	1
Bailer	1	1

OPTIONAL FEATURES

- Aluminum Deck Mounting Cradle For Hard Container
- ***Recovery Engineering"0-6"*** Water Maker
- ***USCG*** Approved Hydrostatic Release
- Hand-Laid Fiberglass Container
- Independent Inflatable Floor
- ***ACR*** "Mini-B" EPIRB

NOTE:
MD-2 Meets The United States Sailing Association's Recommendations for Offshore Sailing ,and the Offshore Racing Council's (ORC) Special Regulations Governing Offshore Racing.

Specifications

MODEL NUMBERS

MD/1-6H	MD/1	6 Person Capacity Raft In Hard Container
MD/1-6S	MD/1	6 Person Capacity Raft In Soft Valise
MD/2-6H	MD/2	6 Person Capacity Raft In Hard Container
MD/2-6S	MD/2	6 Person Capacity Raft In Soft Valise

SPECIFICATIONS

RAFT	MD/1	MD/2
Rated Capacity	6 Person	6 Person
Overload Capacity	9 Person	9 Person
Weight - Hard Container *	80 lbs.	94 lbs.
Shipping Weight	100 lbs	114 lbs.
Weight- Valise *	62 lbs. Shipping Weight	75 lbs.
Shipping Weight	73 lbs.	87 lbs.
Hard Container Dimensions **	31 in. l x 21 in. w x 14 in. h	31 in. l x 21 in. w x 14 in. h
Valise Dimensions ***	34 in. l x 18 in. w x 16 in. h	34 in. l x 19 in. w x 16 in. h
Buoyancy Tube Diameter	13.25 in.	9.5 in.
Freeboard	13.25 in.	19 in.
Raft Inflated Dimensions	91 in. dia. x 38 in. high	84 in. dia. x 45 in. high
Floor Area (total)	24 $ft.^2$	24 $ft.^2$
Floor Area (per person)	4 $ft.^2$	4 $ft.^2$
Buoyancy in Fresh Water Total	1,272 lbs.	1,272 lbs.
Per Person	212 lbs.	212 lbs.
Buoyancy in Salt Water Total	1,302 lbs.	1,302 lbs.
Per Person	217 lbs.	217 lbs.
Operating Pressure	2 p.s.i.	2 p.s.i.
Operating Temperature Range	+ 10°f - + 140°f	+ 10°F - + 140°F
Life Raft Hard Container Material	Hand Laid Fiberglass	Hand Laid Fiberglass
Life Raft Soft Valise Material	1,000 Denier Cordura™	1,000 Denier Cordura™
Aluminum Cradle Material	AL-6463-T55	AL-6463-T55
Buoyancy Chamber Material	*USCG* Approved 16 oz./sq. yd. Urethane Coated Nylon Base Cloth CLOTH (Exceeds MIL-C-17415-16AA)	
Inflation System	Single Inflation Cylinder with Carbon Dioxide (CO_2) Nitrogen (N_2) Gas Mixture	

NOTE

* Weight may vary depending upon options.

** Optional cradle will extend the overall installed height and width dimensions of the hard container by approximately two inches.

*** Soft valise dimensions may vary somewhat from those indicated.

Patents pending

MD-2
Life Raft

PARACHUTE COMPANY

Established 1920



Designed for offshore use, the MD-2 Life Raft includes all the features of the MD-1. Additional survival equipment and a twin tube configuration allow this raft to meet the requirements of the Offshore Racing Council (ORC). Two large canopy entrances and its unique single arch tube geometry provide more ventilation, lookout capability, and occupant headroom than any other raft in this class.

Features

STANDARD FEATURES

- Two 4' Triangular Canopy Openings with Heavy Duty Marine Grade Zippers
- Tough, 16 oz. sq./yd. Urethane Coated Nylon Buoyancy Chamber Fabric
- High Visibility Fluorescent Orange Canopy with Blue Inner Coating
- Carbon Dioxide (CO_2) Nitrogen (N_2) Gas Mixture Inflation System
- Abrasion Resistant Urethane Coated Nylon Raft Valise
- Abandon Ship Bag for Additional Equipment (MD-2)
- Water Activated Boarding Station Locator Light
- Auto-Deployed Military Specification Sea Anchor
- Large Volume Rectangular Ballast Pockets
- 30' - 2000 lb. Test Inflation/ Mooring Lanyard
- Heaving Ring And Floating Retrieval Line
- Double-Taped Buoyancy Chamber Seams
- ***SOLAS*** Grade Retro-Reflective Tape
- High Proof Test Attachment Points
- Double Width Boarding Ladder
- Over-Pressure Relief Valves
- Manual Topping Off Valves
- Rain Water Catcher (MD-2)
- High Headroom Arch Tube
- Life Raft Righting Strap
- Floating Safety Knife
- Interior Grasp Lines
- Exterior Life Lines
- Boarding Handles

EQUIPMENT

	MD-1	MD-2
Pressure Relief Valve Plugs	2	2
Drinking Water (Ounces)	-	96
Raft Repair Kit (Clamps)	3	3
SOLAS Hand-Held Flares	3	3
Sea Sickness Tablets	-	36
Hand Inflation Pump	1	1
Parachute Flares	-	2
Spare Batteries	3	3
Signal Mirror	1	1
Flash Light	1	1
First Aid Kit	-	1
Sponge/s	1	2
Paddles	-	2
Whistle	1	1
Bailer	1	1

OPTIONAL FEATURES

- Aluminum Deck Mounting Cradle For Hard Container
- ***Recovery Engineering"0-6"*** Water Maker
- ***USCG*** Approved Hydrostatic Release
- Hand-Laid Fiberglass Container
- Independent Inflatable Floor
- ***ACR*** "Mini-B" EPIRB

NOTE:
MD-2 Meets The United States Sailing Association's Recommendations for Offshore Sailing ,and the Offshore Racing Council's (ORC) Special Regulations Governing Offshore Racing.

Specifications

MODEL NUMBERS

MD/1-6H	MD/1	6 Person Capacity Raft In Hard Container
MD/1-6S	MD/1	6 Person Capacity Raft In Soft Valise
MD/2-6H	MD/2	6 Person Capacity Raft In Hard Container
MD/2-6S	MD/2	6 Person Capacity Raft In Soft Valise

SPECIFICATIONS

RAFT	MD/1	MD/2
Rated Capacity	6 Person	6 Person
Overload Capacity	9 Person	9 Person
Weight - Hard Container *	80 lbs.	94 lbs.
Shipping Weight	100 lbs	114 lbs.
Weight- Valise *	62 lbs. Shipping Weight	75 lbs.
Shipping Weight	73 lbs.	87 lbs.
Hard Container Dimensions **	31 in. l x 21 in. w x 14 in. h	31 in. l x 21 in. w x 14 in. h
Valise Dimensions ***	34 in. l x 18 in. w x 16 in. h	34 in. l x 19 in. w x 16 in. h
Buoyancy Tube Diameter	13.25 in.	9.5 in.
Freeboard	13.25 in.	19 in.
Raft Inflated Dimensions	91 in. dia. x 38 in. high	84 in. dia. x 45 in. high
Floor Area (total)	24 $ft.^2$	24 $ft.^2$
Floor Area (per person)	4 $ft.^2$	4 $ft.^2$
Buoyancy in Fresh Water Total	1,272 lbs.	1,272 lbs.
Per Person	212 lbs.	212 lbs.
Buoyancy in Salt Water Total	1,302 lbs.	1,302 lbs.
Per Person	217 lbs.	217 lbs.
Operating Pressure	2 p.s.i.	2 p.s.i.
Operating Temperature Range	+ 10°f - + 140°f	+ 10°F - + 140°F
Life Raft Hard Container Material	Hand Laid Fiberglass	Hand Laid Fiberglass
Life Raft Soft Valise Material	1,000 Denier Cordura™	1,000 Denier Cordura™
Aluminum Cradle Material	AL-6463-T55	AL-6463-T55
Buoyancy Chamber Material	*USCG* Approved 16 oz./sq. yd. Urethane Coated Nylon Base Cloth CLOTH (Exceeds MIL-C-17415-16AA)	
Inflation System	Single Inflation Cylinder with Carbon Dioxide (CO_2) Nitrogen (N_2) Gas Mixture	

NOTE

* Weight may vary depending upon options.

** Optional cradle will extend the overall installed height and width dimensions of the hard container by approximately two inches.

*** Soft valise dimensions may vary somewhat from those indicated.

Patents pending

U.S.C.G. Approved
CLR-6

PARACHUTE COMPANY

Established 1920

SWITLIK is proud to offer the **MK 11** version of our popular **COASTAL Life Raft.** Its heat sealed Urethane coated nylon fabric is the toughest in the industry. A unique design and buoyancy chamber inner-sleeves reduce bulk and allow it to fit into a low profile flat fiberglass container or rugged valise. Twin "Gull-Wing" doors facilitate boarding from higher freeboard vessels and the large openings provide excellent ventilation with 3600 lookout capability. Double canopy support arch tubes provide substantial head and shoulder room and inflate automatically. Four large capacity rectangular cross-section ballast pockets offer greater stability than triangular cross-section "Icelandic" pockets of equivalent length.

Although approved by the United States Coast Guard for "coastal"- service, this life raft is actually a better overall design than many of the non-approved "offshore" rafts available today. Additional separate survival equipment, special markings, and a twin tube configuration allow this raft to meet the requirements of the Offshore Racing Council (ORC).

STANDARD FEATURES

Painter/Static Line (50 ft.)
C02 / N2 Inflation System
(-22OF to +150OF Operating Range)
Sea Anchor (automatically deployed)
Towing/Static Line Attachment Point
(1700 **lbs.** test)
Righting Strap
Lifelines (inner)
Lifelines (outer)
Floating/Heaving Line (length, 1 00 ft.)
Exterior Locator Light
Rain Water Collector
Pressure Relief Valves
Large Capacity Rectangular Ballast Pockets
Fluorescent Orange Canopy with Blue Inner Coating
Zippered Door Closures
SOLAS Retro-Reflective Tape
Boarding Ladder
Rigid Boarding Step
Raft Use Instructions
Boarding Handholds
Twin Canopy Support Arches
Urethane Coated Nylon Buoyancy Chambers with Inner Sleeves
Manual Topping Off Valves

STANDARD EQUIPMENT

Waterproof Flashlight
Spare Flashlight Bulb
Spare Flashlight 'D" Cell Batteries (3 ea.)
Buoyancy Chamber Repair Clamps

Sponges (2 ea.)
Bailer
USCG/SOLAS Red Handheld Distress Signals (3 ea.)
Signal Mirror
Signaling Whistle
Anti-Seasickness Pills (36 ea.)
Paddles (2 ea.)
Pressure Relief Valve Plugs
Manual Inflation/Bilge Pump
Floating Safety Knife (Mounted on Raft Tube)
Utility Cord (50 ft.)

OPTIONS

Anodized Aluminum Deck Mounting Cradle
USCG Approved Hydrostatic Release with Weak Link
Heat Sealed Inflatable Floor
Insulating 'Drop-Stitch' Inflatable Floor
EPIRB
Water Maker

SPECIFICATIONS

Subject to change without notice.

PERSON CAPACITY	CONTAINER MODEL NUMBER	RAFT DIMENSIONS LxWxH	FLOOR AREA DIMENSIONS LxWxH	RAFT WEIGHT AND BUOYANCY	IN CONTAINER	SHIPPING WEIGHT.
6	CLR-6H-USCG-MKII	31'x 21'x 14'	9'x 6'3'x 3'5'	24 ft.'/ 1,452 lbs.	115 lbs.	125 lbs.
6	CLR-6S-USCG-MKII	30' x 20' x 16'	9' x 6'3' x 3'5'	1 24 ft.211,452 lbs.	93 lbs.	103 lbs.

Weights do not include optional features or equipment.

U.S.C.G. Approved

SOLAS-6

MK-II

PARACHUTE COMPANY

Established 1920



SWITLIK is proud to offer this completely new ***"SOLAS"*** life raft. Its unique design and buoyancy chamber inner sleeves reduce bulk and allow it to fit into a low profile flat fiberglass container. Twin "Gull-Wing" doors facilitate boarding from higher freeboard vessels and the large openings provide excellent ventilation with 360^0 lookout capability. Double canopy support arch tubes provide substantial head and shoulder room.

It features:

1. A **RIGID BOARDING STEP** in addition to a boarding ladder.
2. An **INNER CANOPY** for better insulation against heat and cold.
3. Two outer **STORM DOORS** for better protection against the environment.
4. ***SOLAS* "A" or "B" EQUIPMENT**.
5. Heat Sealed **INFLATABLE FLOOR** included as standard equipment.
6. **CRADLE AND HYDROSTATIC RELEASE** included as standard equipment.

Features & Equipment

STANDARD FEATURES

Insulating double wall canopy
Insulating Heat Sealed Inflatable Floor
Painter/Static Line (Length, 130 ft.)
CO_2 Inflation System
Sea Anchor (automatically deployed)
Painter/Static Line Attachment Point (1700 lbs. test)
Righting Strap
Lifelines (Inner)
Lifelines (Outer)
Floating/Heaving Line (Length, 100 ft.)
Exterior Locator Light
Interior Light
Rain Water Collector
Floating Knife
Pressure Relief Valves
Large Rectangular Ballast Pockets
Waterproof Equipment Bag
Retro-Reflective Tape
Boarding Ladder
Rigid Boarding Step
Boarding Handholds
2 Canopy Support Arches
Heat Sealed Urethane Buoyancy Chambers
USCG Approved Hydrostatic Release W/ Static Line Weak Link
Manual Topping Off Valves
Double Layer Storm Doors
Raft Use Instructions
Hand Laid Fiberglass Container
Anodized Aluminum Deck Mounting Cradle (Flat Container)
Galvanized Steel Deck Mounting Cradle (Round Container)

OPTIONAL FEATURE

Insulating "Drop-Stitch" Inflatable Floor

STANDARD EQUIPMENT

Individual Thermal Protective Aids (2 ea.)
Paddles
Manual Inflation/Bilge Pump
Repair Clamps (6 ea.)
Adhesive & Patch Repair Kit
Pressure Relief Valve Plugs
Survival Manual

SOLAS "B" EQUIPMENT

Standard Equipment Plus:
Waterproof Flashlight
Spare Flashlight Bulbs
Spare Flashlight "D" Cell Batteries (3 ea.)
Sponges (2 ea.)
Bailer
USCG/***SOLAS*** Parachute Distress Signals (2 ea.)
USCG/***SOLAS*** Red Handheld Distress Signals (3 ea.)
USCG/***SOLAS*** Smoke Signal
Seasick Bags (1 per Person)
Water Storage Bag
Signal Mirror
First Aid Kit
Signaling Whistle
Anti-Seasickness Pills (6 per Person)
Spare Sea Anchor

SOLAS "A" EQUIPMENT

All Standard Equipment & *SOLAS* "B" Equipment Plus:
Graduated Drinking Cup
Drinking Water (1_ Liters per Person)
Food Ration (10 kilo-joules per Person)
Can Opener
Fishing Kit
USCG/***SOLAS*** Parachute Distress Signals (2 Add'
USCG/***SOLAS*** Red Handheld Distress Signals (3 Add'l)
USCG/***SOLAS*** Smoke Signal (1 Add'l)

Specifications

RAFT CAPACITY	MODEL NUMBER	RAFT DIMENTIONS L x W x H	FLOOR AREA AND BUOYANCY	CONTAINER DIMENSIONS	WEIGHT IN CONTAINER	SHIPPING WEIGHT	SHIPPING DIMENSIONS L x W x H
6	CGF-6-A-STD-MK II	9' x 6'3" x 3'5"	24 ft.^{2} / 1,452 lbs.	37"l x 23.5"w x 17"h	165 lbs.	188 lbs.	38" X 28" X 20"
	CGF-6-B-STD-MK II	9' x 6'3" x 3'5"	24 ft.^{2} / 1,452 lbs.	37"l x 23.5"w x 17"h	133 lbs.	158 lbs.	38" X 28" X 20"
	CGR-6-A-STD-MK II	9' x 6'3" x 3'5"	24 ft.^{2} / 1,452 lbs.	21" dia. X 44" long	175 lbs.	298 lbs.	61" X 30" X 35"
	CGR-6-B-STD-MK II	9' x 6'3" x 3'5"	24 ft.^{2} / 1,452 lbs.	21" dia. X 44" long	143 lbs.	265 lbs.	61" X 30" X 35"

ALL WEIGHTS ARE APPROXIMATE - SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

If you sell your catch, or fish with the intent to sell,
the United States Coast Guard may require your vessel to be equipped
in compliance with the requirements of the Commercial Fishing Industry Vessel Safety Regulations.

The **SWITLIK, *SOLAS*-6 MK-II Life Raft** meets the requirements,
for those vessels fishing beyond 20 miles from shore required to carry a ***SOLAS*** life raft.

- SWITLIK PARACHUTE COMPANY -

1325 East State Street - Trenton, N.J. 08609 Phone: (609)-587-3300 Fax: (609)-586-6647

SEARCH
AND
RESCUE
Life Raft

PARACHUTE COMPANY

Established 1920



The Switlik **Search and Rescue** configuration life raft was designed for and is used extensively aboard United States Coast Guard vessels and aircraft. The **Search and Rescue Life Raft** is now available to yachtsmen in 6 or 8 person capacity. Its furlable canopy allows easy and rapid entry from the deck of higher freeboard yachts and unrestricted visibility to locate other survivors and potential rescue vessels. When the raft occupants are aboard, the canopy may be unfurled and secured over the inflatable arch tubes for protection from the elements.

The integral **Toroidal Stability Device (TSD),** after extensive comparative testing, was selected by the Coast Guard as the improved stability system for all of its 4 person capacity survival and rescue rafts and 6 person capacity aviation life rafts. The Search and Rescue Life Raft is available in either an abrasion resistant fabric valise or an attractive fiberglass container with optional deck mounting cradle.

The **SEARCH and RESCUE LIFE RAFT** meets Offshore Racing Council (ORC) requirements.

Standard Features and Accessories:

- Fiberglass container
- Toroidal Stability Device (TSD)
- furlable canopy
- inflatalble boarrding ramps
- inflation systern
- two (2) independent buoyancy tubes
- instructions for raft and equipment use printed on buoyancy tubes
- interior and exterior lifelines
- water-activated TSO-C85 locator light
- static/mooring line
- boardinq handles
- boarding ladder
- two (2) over pressure valves
- pressure relief valve plugs
- two (2) paddles
- righting strap
- manual / inflation deflation valves
- inflatable canopy support arches
- retroreflective tape
- raft mounted utility bags
- rainwater collector on canopy
- towing bridle
- hand inflation pump
- repair clamps
- bailirng bucket
- sponge
- survival equipment container
- raft mounted safety knife
- hand life ring with 50’ floating line
- sea anchor

Survival and Signalling Equipment:

- water (11 oz) per person
- multi=purpose knife
- survival manual
- compass
- fishing kit
- first aid kit
- three (3) water bags
- drinking cup
- six (6) sea-sick pills per person
- two (2) can openers
- three (3) red and-held flares
- two (2) parachute flares
- one (1) mirror
- one (I) whistle
- one 11) water activated locator light
- one (1) flashlight

Optional Features:

- inflatable floor
- abrasion resistant fabric valise
- deck mounting cradle for fiberglass container

	SAR-6	SAR-8
Rated Capacity	6 Persons	8 Persons
Overload Capacity	9 persons	12 Persons
Weight in Fiberglass Container	106 lb.	123 lb.
Weight in Soft Valise	89 lb.	110 lb.
Floor Area	21.6 sq. ft.	28.8 sq. ft.
Buoyancy	1500 lb.	2000 lb.
Inflated Diameter	82 in.	94 in.
Soft Valise Dimensions	16”H x 26”L x 20”W	18”H x 28”L x 22”W
Fiberglass Container Dimentions	$13^1/_2$H x $36^1/_2$L x $23^1/_2$W	17”H x36^1/2”L x $23^1/_2$”W

U.S.C.G. Approved
SOLAS ‘74/‘83
Life Rafts

PARACHUTE COMPANY

Established 1920



SOLAS-8/10/15/20/25 MK-II LIFE RAFTS

The MK-II versions of our 8, 10, 15, 20, and 25 Person capacity “***SOLAS***” life rafts feature large diameter buoyancy tubes, extra large boarding entrances and a rigid boarding step in addition to a boarding ladder. Their two counter-opposed canopy arch support tubes offer more head and shoulder room than life rafts with a single canopy support post. Heat sealed urethane coated fabric makes these rafts extremely abrasion resistant, long lived, and affordable.

Features & Equipment

STANDARD FEATURES

Insulating double wall canopy
Insulating Heat Sealed Inflatable Floor
Painter/Static Line (Length, 130 ft.)
CO_2 Inflation System
Sea Anchor (Automatically Deployed)
Painter/Static Line Attachment Point
(1700 lbs. test) (6-10 Person Capacity)
(3,000 lbs. test) (15-25 Person Capacity)
Righting Strap
Lifelines (Inner)
Lifelines (Outer)
Floating/Heaving Line (Length, 100 ft.)
Exterior Locator Light
Interior Light
Rain Water Collector
Floating Knife
Pressure Relief Valves
Large Rectangular Ballast Pockets
Waterproof Equipment Bag
Retro-Reflective Tape
Boarding Ladder
Rigid Boarding Step (6-25 Person Capacity)
Inflatable Boarding Step (20-25 Person Capacity)
Boarding Handholds
Two Canopy Support Arches
Heat Sealed Urethane Buoyancy Chambers
USCG Approved Hydrostatic Release with Static Line Weak Link
Manual Topping Off Valves
Double Layer Storm Doors
Raft Use Instructions
Hand Laid Fiberglass Container
Anodized Aluminum Deck Mounting Cradle (Flat Container)
Galvanized Steel Deck Mounting Cradle (Round Container)

OPTIONS

Insulating "Drop-Stitch" Inflatable Floor
Approved for 100 ft. ASL Installation w/ 200 ft. Painter/Static Line

STANDARD EQUIPMENT

Individual Thermal Protective Aids (2 ea.)
Paddles
Manual Inflation/Bilge Pump
Repair Clamps (6 ea.)
Adhesive & Patch Repair Kit
Pressure Relief Valve Plugs

SOLAS "B" EQUIPMENT

Standard Equipment Plus:
Waterproof Flashlight
Spare Flashlight Bulb
Spare Flashlight "D" Cell Batteries (3 ea.)
Sponges (2 ea.)
Bailer (15-25 Person Capacity - 2 ea.)
USCG/***SOLAS*** Parachute Distress Signals (2 ea
USCG/***SOLAS*** Red Handheld Distress Signals (2 ea.)
USCG/***SOLAS*** Smoke Signal
Seasick Bags (1 per Person)
Water Storage Bag
Thermal Protective Aid (25 Person Capacity - 1 add'l.)
Signal Mirror
First Aid Kit
Signaling Whistle
Anti-Seasickness Pills (6 per Person)
Spare Sea Anchor
Survival Manual

SOLAS "A" EQUIPMENT

All Standard Equipment & *SOLAS* "B" Equipment Plus:
Graduated Drinking Cup
Drinking Water (6-25 Person Capacity - 1_ liters per Person)
Food Ration (10 kilo-joules per Person)
Can Opener
Fishing Kit
USCG/***SOLAS*** Parachute Distress Signals (2 Add'l.)
USCG/***SOLAS*** Red Handheld Distress Signals (3 Add'l.)
USCG/***SOLAS*** Smoke Signal (1 Add'l.)

Specifications

RAFT CAPACITY	MODEL NUMBER	CONTAINER DIMENSIONS	WEIGHT IN CONTAINER	SHIPPING WEIGHT	SHIPPING DIMENSIONS L X W X H
6	CGF-6-A-STD-MK II	37"l x 23.5"w x 17"h	165 lbs.	188 lbs.	38" X 28" X 20"
	CGF-6-B-STD-MK II	37"l x 23.5"w x 17"h	133 lbs.	158 lbs.	38" X 28" X 20"
	CGR-6-A-STD-MK II	21" dia. X 44" long	175 lbs.	298 lbs.	61" X 30" X 35"
	CGR-6-B-STD-MK II	21" dia. X 44" long	143 lbs.	265 lbs.	61" X 30" X 35"
8	CGR-8-A-STD-MK II	24" dia. x 54" long	214 lbs.	341 lbs.	61" X 30" X 35"
	CGR-8-B-STD-MK II	24" dia. x 54" long	170 lbs.	266 lbs.	61" X 30" X 35"
10	CGR-10-A-STD-MK II	24" dia. x 54" long	230 lbs.	356 lbs.	61" X 30" X 35"
	CGR-10-B-STD-MK II	24" dia. x 54" long	170 lbs.	282 lbs.	61" X 30" X 35"
15	CGR-15-A-STD-MK II	24" dia. x 54" long	280 lbs.	409 lbs.	61" X 30" X 35"
	CGR-15-B-STD-MK II	24" dia. x 54" long	202 lbs.	332 lbs.	61" X 30" X 35"
20	CGR-20-A-STD-MK II	26" dia. x 56" long	375 lbs.	474 lbs.	64" X 33" X 38"
	CGR-20-B-STD-MK II	26" dia. x 56" long	265 lbs.	371 lbs.	64" X 33" X 38"
25	CGR-25-A-STD-MK II	26" dia. x 56" long	408 lbs.	531 lbs.	64" X 33" X 38"
	CGR-25-B-STD-MK II	26" dia. x 56" long	291 lbs.	415 lbs.	64" X 33" X 38"

ALL WEIGHTS ARE APPROXIMATE - SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

- SWITLIK PARACHUTE COMPANY -
1325 East State Street Trenton, N.J. 08609 Phone: (609)-587-3300 Fax: (609)-586-6647

U.S.C.G. SURVIVAL CRAFT APPROVAL NUMBERS

APPROVAL #	DESCRIPTION	EXP. DATE
160.051/239/0	SPC-MM-4002-( ) Ocean Service or Limited Service **4 MAN** with WATER POCKETS	MAY 7, 1997
160.051/317/0	CLR-6202-( ) Coastal Service Pack **6 MAN**, with WATER POCKETS	MAR 1, 2000
160.051/301/0	CGR-6002-( ) SOLAS "A" or "B" Pack **6 MAN**, with WATER POCKETS	AUG 1, 2001
160.151/80/0	CGR-6002-( ) SOLAS "A" or "B" Pack **6 MAN**, with WATER POCKETS	AUG 1, 2001
160.051/302/0	CGR-10002-( ) SOLAS "A" or "B" Pack **10 MAN** with WATER POCKETS	AUG 1, 2001
160.151/81/0	CGR-10002-( ) SOLAS "A" or "B" Pack **10 MAN** with WATER POCKETS	AUG 1, 2001
160.051/303/0	CGR-15002-( ) SOLAS "A" or "B" Pack **15 MAN** with WATER POCKETS	AUG 1, 2001
160.151/82/0	CGR-15002-( ) SOLAS "A" or "B" Pack **15 MAN** with WATER POCKETS	AUG 1, 2001
160.051/248/0	SPC-MM-20002-( ) SOLAS "A" or "B" Pack **20 MAN** with WATER POCKETS	SEP 4, 2000
160.151/46/0	SPC-MM-20002-( ) SOLAS "A" or "B" Pack **20 MAN** with WATER POCKETS	SEP 4, 2000
160.051/249/0	SPC-MM-25002-( ) SOLAS "A" Pack **25 MAN** with WATER POCKETS	SEP 4, 2000
160.151/47/0	SPC-MM-25002-( ) SOLAS "A" Pack **25 MAN** with WATER POCKETS	SEP 4, 2000
160.051/250/0	SPC-MM-25002-( ) SOLAS "B" Pack **25 MAN** with WATER POCKETS	SEP 4, 2000
160.151/48/0	SPC-MM-25002-( ) SOLAS "B" Pack **25 MAN** with WATER POCKETS	SEP 4, 2000
160.051/324/0	CGR-25002-(1) MK-II SOLAS "A" or CGR-25002-(2) MK-II SOLAS "B" Pack **25 MAN** with WATER POCKETS	JAN 24, 2001
160.151/94/0	CGR-25002-(1) MK-II SOLAS "A" or CGR-25002-(2) MK-II SOLAS "B" Pack **25 MAN** with WATER POCKETS	JAN 24, 2001
160.010/100/0	IBA-6001 **6 MAN, INFLATABLE BUOYANT APPARATUS**	OCT 8, 1997
160.010/116/0	IBA-30001-( ), Packed in Rigid Round Fiberglass Cont. **30 MAN, INFLATABLE BUOYANT APPARATUS**	JAN 24, 2001
160.010/117/0	IBA-60001-( ), Packed in Rigid Round Fiberglass Cont. **60 MAN, INFLATABLE BUOYANT APPARATUS**	JAN 24, 2001

1997 Prices

RESCUE POD

MODEL NUMBER	DESCRIPTION	LIST PRICE
POD-4H	4 Person Capacity Inflatable Rescue-POD in Fiberglass Container 24'L x 13'W x 12'H (Wt. 44 lbs.)	**$1,895.00**
POD-4S	4 Person Capacity Inflatable Rescue POD in Soft Valise 12' diam. x 24'L (Wt. 33 lbs.)	**$1,875.00**
CRADLE-POD	Anodized Marine Grade Aluminum Deck Mounting Cradle for Rescue POD in Fiberglass Container	**$285.00**
FLOOR-POD	Heat Sealed Inflatable Floor	**$175.00**
BAG-ABANDON	SWITLIK Abandon Ship Duffel Bag	**$50.00**
FLARES-POD	3 USCG Approved Hand-Held Flares Packed with Rescue POD	**$45.00**

USCG APPROVED INFLATABLE BUOYANT APPARATUS

IBA-6H-USCG	6 Person Capacity Inflatable Buoyant Apparatus in Fiberglass Container 31'L x 21'W x 14'H (Wt. 65 lbs.)	**$2,595.00**
IBA-6S-USCG	6 Person Capacity Inflatable Buoyant Apparatus in Soft Valise 30'L x 20'W x 14'H (Wt. 55 lbs.)	**$2,545.00**
CRADLE-IBA-6	Anodized Marine Grade Aluminum Deck Mounting Cradle for Inflatable Buoyant Apparatus in Fiberglass Container	**$295.00**
HYDRO-IBA-6	Inflatable Buoyant Apparatus Hydrostatic Release (installed)	**$175.00**
FLARE-KIT	3 ea. Hand Flares (USCG/SOLAS 160.121)	**$50.00**
ACR-MINI-B	ACR RLB-21 EPIRB packed in raft	**$389.00**

MD SERIES LIFE RAFTS

MD 1-6H	6 Person Capacity MD 1 Series Life Raft and Equipment in Hard Container 31'L x 21'W x 14'H (Wt. 80 lbs.)	**$2,995.00**
MD 1 -6S	6 Person Capacity MD I Series Life Raft and Equipment in Soft Valise 34'L x 18'W x 16'H (Wt 62 lbs.)	**$2,945.00**
MD 2-6H	6 Person Capacity MD 2 Series Life Raft and Equipment in Hard Container 31'L x 21'W x 14'H **(**Wt**.** 94 lbs.)	**$3,595.00**
MD 2-6S	6 Person Capacity MD 2 Series Life Raft and Equipment in Soft Valise 34'L x 18'W x 16'H **(**Wt. 75 lbs.)	**$3,545.00**
CRADLE-MD	Anodized Marine Grade Aluminum Deck Mounting Cradle for MD Series Life Rafts in Fiberglass Container	**$295.00**
FLOOR-MO-HS	Heat Sealed Inflatable Floor	**$195.00**
FLOOR-MD-IFL	"INFAB" Independent Drop Stitch Insulated Inflatable Floor	**$395.00**
HYDRO-MD	MD Series Life Raft Hydrostatic Release (installed)	**$175.00**
ACR-MINI-B	ACR RLB-21 EPIRB packed in raft	**$389-00**
WATER-MKR	Recovery Engineering reverse osmosis manual watermaker Model: Survivor-6	**$555-00**

PLEASE READ THESE IMPORTANT NOTES

1.Prices & Specifications subject to change without notice. **2**. The **CRADLES, HYDROS, FLOOR, FLARE-KIT, ACR-MINI-B,** & **WATER-MKR** are **OPTIONAL** items. 3. Please specify color for IBA fiberglass container, **INTERNATIONAL ORANGE** or **WHITE**. **WHITE** is standard for **POD** and **MD** series containers **4.** Weights may vary depending upon options. **5.** Optional Cradle will extend overall installed height and width dimensions of hard containers by approx. 2'. **6.** Soft Valise dimensions may vary from those shown and may increase depending upon options.

MODEL DESIGNATIONS: POD-Rescue POD**, IBA**-inflatable Buoyant Apparatus, **MD-**MD Series Life Rafts,
#-Person Capacity, **H-**Hard Fiberglass Container, **S-**Soft Valise, **USCG-**U.S.C.G. Approved

USCG APPROVED COASTAL LIFE RAFT

MODELNUMBER	**DESCRIPTION**	**LIST PRICE**
CLR-6H-USCG-MK 11	6 Person Capacity Coastal Life Raft and equipment in Hard Container 31'Lx2l'Wxl4'H (Wt.115lbs.)	**$3,695.00**
CLR-6S-USCG-MK 11	6 Person Capacity Coastal Life Raft and equipment in Soft Valise 30'L x'20"W x 16"H (Wt. 93 lbs.)	**$3,645.00**
CRADLE-CLR	Anodized Marine Grade Aluminum Deck Mounting Cradle for Coastal Life Raft in Fiberglass Container	**$295.00**
FLOOR-CLR-HS	Heat Sealed Inflatable Floor	**$195.00**
FLOOR-CLR-IFL	"INFAB" Independent Drop Stitch Insulated Inflatable Floor	**$395.00**
HYDRO-CLR	Coastal Life Raft Hydrostatic Release (installed)	**$175.00**
ACR-MINI-B	ACR RLB-21 EPIRB packed in raft	**$389.00**
WATER-MKR	Recovery Engineering reverse osmosis manual watermaker Model- Survivor-6	**$555.00**

SEARCH AND RESCUE LIFE RAFTS

SAR-6H	6 Person Capacity Search and Rescue Life Raft and extended range survival equipment in hard container 37'L x 24'W x 14'H (Wt. 106 lbs.)	**$4,995.00**
SAR-6S	6 Person Capacity Search and Rescue Life Raft and extended range survival equipment in soft valise 26"L x 20'W x 16'H (Wt. 89 lbs.)	**$4,945.00**
SAR-SH	8 Person Capacity Search and Rescue Life Raft and extended ranne survival equipment in hard container 37"L x 24'W x- 17"H (Wt. 1:93 lbs.)	**$5,495.00**
SAR-BS	8 Person Capacity Search and Rescue Life Raft and extended range survival equipment in soft valise 28"Lx22"Wxl8'H (Wt.110lbs.)	**$5,445.00**
CRADLE-SAR-6/8	Anodized Marine Grade Aluminum (6463-T55) Deck Mounting Cradle for Search and Rescue Life Raft 6 or 8 Person Capacity (specify)	**$325.00**
FLOOR-SAR-6	"INFAB" Insulated Inflatable Floor	**$395.00**
FLOOR-SAR-8	"INFAB" Insulated Inflatable Floor	**$495.00**
HYDRO-SAR	Life Raft Hydrostatic Release (installed)	**$175.00**
ACR-MINI-B	ACR RLB-21 EPIRB packed in raft	**$389.00**
WATER-MKR	Recovery Engineering reverse osmosis manual watermaker Model: gurvivor-6	**$555.00**

PLEASE READ THESE IMPORTANT NOTES

1. Prices & Specifications subject to change without notice. **2**. The **CRADLES, HYDROS, FLOORS, FLARE-KIT, ACR-MINI-B. & WATER-MKR** are **OPTIONAL** items. **3**. Please specify color for CLR fiberglass container, **INTERNATIONAL ORANGE** or **WHITE. 4.** Weights may vary depending upon options. **5.** Optional Cradle will extend overall installed height and width dimensions of hard containers by approx. 2'. **6.** Soft Valise dimensions mayvary from those shown and may increase depending upon options.

MODEL DESIGNATIONS: CLR-Coastal Life Raft, **SAR-**Search & Rescue Life Rafts, #-Person Capacity, **H-**Hard Fiberglass Container, **S**-Soft Valise, **USCG-**U.S.C.G. Approved, MK 11-MK 11 Version.

U.S.C.G. APPROVED SOLAS LIFE RAF7S - (SOLAS'74/'83)

MODEL NUMBER	DESCRIPTION	LIST PRICE
CGF-6-A-STD-MK 11 **6**	6 Person Capacity MK 11 USCG Approved Life Raft with SOLAS (A) Equipment and Standard Ballast Pockets in Flat Fiberglass Container 37"L x 24"W x 17'H (Wt. 165 lbs.)	**$4,995.00**
CGF-6-B-STD-MK 11 **6**	6 Person Capacity MK 11 USCG Approved Life Raft with SOLAS (B) Equipment and Standard Ballast Pockets in Flat Fibercilass Container 37"L x 241-W x 17"H (Wt. 133 lbs.)	**$4,795.00**

MODEL NUMBER	DESCRIPTION	LIST PRICE
CGR-6-A-STD-MK 11 **6**	6 Person Capacity MK 11 USCG Approved **Life** Raft with SOLAS **(A)** Equipment and Standard Ballast Pockets in Round Fiberglass Container 21' diameter x 44'L (Wt. **175** lbs.)	**$4,995.00**
CGR-6-B-STD-MK 11 **6**	6 Person Capacity MK 11 USCG Approved Life Raft with SOLAS (B) Equipment and Standard Ballast Pockets in Round Fiberglass Container 21' diameter x 44'L (Wt. 143 lbs.)	**$4,795.00**
CGR-8-A-STD-MK 11 **8**	8 Person Capacity MK 11 USCG Approved Life Raft with SOLAS A Equipment and Standard Ballast Pockets in Round Fiberglass Container 24" diameter x 54"L (Wt. 214 lbs.)	**$5,595.00**
CGR-8-B-STD-MK 11 **8**	**8** Person Capacity MK 11 USCG Approved Life Raft with SOLAS B Equipment and Standard Ballast Pockets in Round Fiberglass Container 24" diameter x 54"L (Wt. 170 lbs.)	**$5,395.00**
CGR-10-A-STD-MK 11 **10**	**10** Person Capacity MK 11 USCG Approved Life Raft with SOLAS A Equipment and Standard Ballast Pockets in Round Fiberglass Container 24" diameter x 54"L (Wt. 230 lbs.)	**$5,795.00**
CGR-10-B-STD-MK 11 **10**	**1 0** Person Capacity MK II USCG Approved L:ife Raft with SOLAS B Equipment and Standard Ballast Pockets in Round Fiberglass Container 24" diameter x 54'L (Wt. 170 lbs.)	**$5,495.00**
CGR-15-A-STD-MK II **15**	15 Person Capacity MK 11 USCG Approved Life Raft with SOLAS A Equipment and Standard Ballast Pockets in Round Fiberglass Container 24' diameter x 54'L (Wt. 280 lbs.)	**$6395.00**
CGR-15-B-STD-MK II **15**	**15** Person Capacity MK 11 USCG Approved Life Raft with SOLAS B Equipment and Standard Ballast Pockets in Round Fiberglass Container 24' diameter x 54'L (Wt. 202 lbs.)	**$6,195.00**
CGR-20-A-STD-MK II **20**	20 Person Capacity MK 11 USCG Approved Life Raft with SOLAS **A** Equipment and Standard Ballast Pockets in Round Fiberglass Container 26' diameter x 56'L (Wt. 375 lbs.)	**$7,795.00**
CGR-20-B-STD-MK 11 **20**	20 Person Capacity MK 11 USCG Approved Life Raft with SOLAS B Equipment and Standard Ballast Pockets in Round Fiberglass Container 26' diameter x 56'L (Wt. 265 lbs.)	**$7,595.00**
CGR-25-A-STD-MK 11 **25**	25 Person Capacity MK 11 USCG Approved Life Raft with SOLAS **A** Equipment and Standard Ballast Pockets in Round Fiberglass Container 26' diameter x 56'L (Wt. 416 lbs.)	**$7,995.00**
CGR-25-B-STD-MK 11 **25**	25 Person Capacity MK 11 USCG Approved Life Raft with SOLAS e'Equipment and Standard Ballast Pockets in Round Fiberglass Container 26' diameter x 56'L (Wt. 291 lbs.)	**$7,595.00**

PLEASE READ THESE IMPORTANT NOTES:

1.Prices and specifications are subject to change without notice.

2. Prices include Cradle and U.S.C.G. approved Hydrostatic Release.

3. Hazardous material classification for shipping purposes is Class 9, UN 2990

4. Standard Cradles are galvanized steel for round containers and anodized marine grade aluminum(6463-T55) for flat containers. Galvanized steel cradles are available as an option for flat containers.

5. Aluminum cradle for flat containers will increase installed overall height and width dimensions by 2.0 inches.

6. Steel cradle for round containers will increase installed overall height 2.5 inches, width 2.0 inches for 6,8,10,15 person; and overall heightC5 inches, width 2.0 inches for 20 & 25 person life rafts.

7. **STANDARD COLOR FOR ROUND CONTAINERS IS ORANGE** White is available as an option.
PLEASE SPECIFY CONTAINER COLOR WHEN ORDERING.

8. **STANDARD COLOR FOR FLAT CONTAINERS IS WHITE.** International orange is available as an option.
PLEASE SPECIFY CONTAINER COLOR WHEN ORDERING.

9. The contents of the SOLAS 'A' equipment package meet the U.S.C.G. requirements for all inspected vessels in all waters.

10. The contents of the SOLAS "B" equipment package meet the U.S.C.G. requirements for inspected vessels in coastal or inland waters.

Specifications are subject to change without notice.

MODEL DESIGNATIONS: CG-U.S.C.G. Approved, **R**-Round Container, **F**-Flat Container, #-Person Capacity, **A-**SOLAS Equipment Level A" (previously 'Ocean"), **B-**SOLAS Equipment Level "B" (previously “Unlimited"), **STD-** Standard Ballast Pockets,
MK II-MK 11 Version

Approved Service Stations

Click on a LINK or a BOOKMARK

- Alaska
- California
- Florida
- Georgia
- Hawaii
- Illinois
- Louisiana
- Maine
- Maryland
- Massachusetts
- New Jersey
- North Carolina
- Ohio
- Oregon
- Rhode Island
- South Carolina
- Texas
- Virginia
- Washington
- Wisconsin

Alaska

EAGLE ENTERPRISES, INC.
700 West Int'l Airport Road
Anchorage, AK 99518
(907)562-2331
FAX:(907)562-6955
Shane Langland

JOYCRAFTS MARINE SAFETY
EQUIPMENT
Box 2396
445 Shahafka
Kodiak, AK 99615-2396
(907)486-6293
FAX:(907)486-2984
Ted Rodgers

OCEAN SAFETY SERVICES, INC.
P.O. Box 2314
Homer, AK 99603

2663 Airport Beach Road
Dutch Harbor, AK 99692
(907)235-7908
FAX:(907)235-7918
Paul Reynolds

SOUTHEAST OCEAN SURVIVAL
P.O. Box 9131
1900 Tongass Avenue
Ketchican, AK 99901
(907)225-8985
FAX:(907)225-8986
Del & Eileen Stacy
Sylvia Blaine

California

AVALON RAFTS, SALES & SERVICE
218 North Marine Avenue
Wilmington, CA 90744
(310)549-9665
FAX:(310) 549-4824
Richard & David Costello

COAST MARINE & INDUSTRIAL SUPPLY
398 Jefferson Street
San Francisco, CA 94133
(415)673-1923
FAX:(415)673-1927
Alice & Bob Salvarrezza

* PACIFIC MARINE SUPPLY
1122 Shafter Street
San Diego, CA 92106
(619)223-7194
FAX:(619)223-9054
Pat & Mike Falkosky

Florida

BONNANI SHIP SUPPLY
P.O. Drawer 3208
107 North 11th Street
Tampa, FL 33601
(813)229-6411 or 6412
FAX:(813)222-0617
Patrick Thompson

DATREX, INCORPORATED
618 Tallyrand Avenue
Jacksonville, FL 32202
(904)355-1401
(800)323-8444
FAX:(904)353-8269
Richard Urtel

INFLATABLE SERVICES, INC.
(84 Boat Works)
http://www.mypid.com/inflatservices
990 W. State Road 84
Ft. Lauderdale, FL 33315
(954)779-7000
FAX:(954)779-7603
Linda & Ed Bohne

MORE ↓

A SAILOR'S PLACE
http://www.iwol.com/iww/customers/ASailorsPlace/home.html
398 South Dixie Highway
Stuart, FL 34996
(407)283-9990
FAX:(407)283-0122
Betsey & Mark Haskell

WILLIAM H. SWAN & SONS, INC.
P.O. Box 3256
2336 Liberty Street
Jacksonville, FL 32206
(904)358-7605
FAX:(904)358-1197
Larry Jackson, Christy Deloach

* THE BOAT DOC, INC.
49711 110th Avenue
Clearwater, FL 34620
(813)572-4317
John Starkey

Georgia

RIVER SERVICES, INCORPORATED
2827 River Drive
Thunderbolt, GA 31404
(912)354-7777
FAX:(912)354-3326
Hal Lyons

Hawaii

LIFERAFT & MARINE SAFETY
EQUIPMENT
Airport Industrial Park
3375 Koapaka Street
Suite F242
Honolulu, HI 96819
Phone/FAX:(808)839-5063
Ed McCauley

Illinois

BLACK INDUSTRIAL SUPPLY
3200 East 92nd Street
Chicago, IL 60617
(312)768-1500
FAX:(312)768-8649
Yolanda Sepulveda

Louisiana

OFFSHORE SUPPLIERS, INC.
P.O. Box 821
Metairie, LA 70004

413 North Causeway Service Blvd.
Metairie, LA 70001
(504)833-8251
FAX:(504)831-0595
Debbie, Greg & Mark Davis

Maine

CHASE LEAVITT & COMPANY
P.O. Box 589
10 Dana Street
Portland, ME 04112
(207)772-3751
Natl:(800)638-8906
Maine:(800)244-0675
FAX:(207)722-0297
Jonathan Leavitt

* HAMILTON MARINE
P.O. Box 227
Route 1, E. Main Street
Searsport, ME 04974
(207)548-6302
FAX:(207)548-0907
Wayne Hamilton

Maryland

USA SERVICES, INCORPORATED
(USA Outfitters)
1818 Margaret Avenue
Annapolis, MD 21401
(410)626-1122
FAX:(410)626-1144
Karen Hanson

VANE BROTHERS MARINE SAFETY
4209 Newgate Ave, Pier 11, Canton
Baltimore, MD 21224
(410)631-5167
FAX:(410)631-7781
Frank Horning
Kevin Brophy

Massachusetts

WESTERBEKE FISHING GEAR, CO.
400 Border St.
E.Boston, MA 02128
(617)561-9967
FAX:(617)542-8540
Chris Halligan, Ed Creamer

New Jersey

MARINE SAFETY CORPORATION
P.O. Box 465
5050 Industrial Road
Farmingdale, NJ 07727
(908)938-5668
FAX:(908)938-4839
Michael O'Brien

SEA SAFETY INTERNATIONAL
10 Wood Avenue
Secaucus, NJ 07094
(201)330-3225
FAX:(201)330-0448
Jack & Dwight Norrgard

North Carolina

WILLIAM H. SWAN & SONS, INC.
P.O. Box 2102
Wilmington, NC 28402

320 Castle Hayne Road
Wilmington, NC 28401
(910)343-0072
FAX:(910)343-1365
Rober Reeder, Kent Delgar

Ohio

SAMSEL ROPE & MARINE SUPPLY
1285 Old River Road
Cleveland, OH 44133
(216)241-6318
(800)892-8012
FAX:(216)241-3426
Mike Samsel

Oregon

ENGLUND MARINE SUPPLY
P.O. Box 296
Foot of 15th Street
Astoria, OR 97103
(503)325-4341
FAX:(503)325-6421
Jay Englund

PACIFIC MARINE DISTRIBUTORS
P.O. Box 6440
Portland, OR 97228

2320 Nothwest 21st Street
Portland, OR 97210
(503)243-2258
FAX:(503)224-4958
James & Peter Alex
Mark Drauch

Rhode Island

LIFE RAFT & SURVIVAL
EQUIPMENT
http://amaltd.com/Irse/
3 Maritime Drive
Portsmouth, RI 02871
(401)683-0307
FAX:(401)683-2875
Jim O'Connor

South Carolina

RIVER SERVICES, INCORPORATED
47 South Windemere
Charleston, SC 29407
(800)673-9391
Stephen Lyons

Texas

FIRE PROTECTION SERVICE
P.O. Box 5218 (Mailing)
Houston, TX 77262-5218

8050 Harrisburg Boulevard
Houston, TX 77012
(713)924-9600
FAX:(713)923-6272
Robi Curry

MORE ↓

SHORELINE MARINE & AVIATION
8305 Monroe
Houston, TX 77061
(713)947-1115
FAX:(713)947-0593
Bob Holley

TRIAD MARINE
http://www.compassnet.com/~hlambert/
1522 East Maine Street
League City, TX 77573
(713)338-5060
FAX:(713)338-4956
Homer Lambert
Mike Goforth

Virginia

USA SERVICES, INCORPORATED
(Paxton Company)
P.O. Box 12103
111 Ingleside Road
Norfold, VA 23541-0103
(804)858-1812
FAX:(804)853-7709
George Plum, Jim Beale

Washington

WESTPAC MARINE SERVICES, INC.
2316 S. Jefferson
Tacoma, WA 98402
(206)627-6000
(800)343-5826
FAX:(206)272-9712
Rollie Herman

Wisconsin

AMERICAN MARINE COMPANY
4031 East 1st Street
Superior, WI 54880-4256
(715)398-7500
FAX:(715)398-7580
Kathy & Ray Meyer

*-NOTE: These Service Stations are approved to service Marine Rescue Platforms, POD Rafts,
Non-USCG Coastal Rafts and Search & Rescue Life Rafts.

Made on a Mac.